



Optimizing MySQL Configuration

Peter Zaitsev, CEO
Percona Live, Washington DC
11 January 2012

Agenda

- Approach to getting great MySQL Configuration
- Types of Configuration Options
- Tools to Configure MySQL
- Looking at Most Important Options

But Before We start

- How many settings do you set in Config File ?

Also

- How useful do you think MySQL Default Configuration ?

Configuration Tuning Basics

- Understand what you're changing
 - Google Copy/Paste without thinking can be bad
- Avoid Obsessive Tuning Disorder
 - Setting 10 settings will give 95% of possible performance in 95% cases
- Beware of “Sample Configs” In MySQL distributions
 - They are pretty outdated
 - 2GB of memory is “huge” these days ?
 - Right for Cell Phone

Most Options do not Scale

- Going to Server with 4x memory you can't just multiply all configuration variables 2x

Know Scope and Unit

- `sort_buffer_size=16G`
 - Wrong! `sort_buffer_size` is set per connection
- `table_cache=64M`
 - Wrong! `table_cache` is set in elements not memory size.

Avoid Basic Mistakes

- Setting variables in wrong config file
 - `/etc/mysql/my.cnf` instead of `/etc/my.cnf`
 - These depend on Linux Distro, Beware
- Duplicating Options
 - Last option will override previously set
- Not knowing Synonyms
 - **table_cache** is same as **table_open_cache**
- Using wrong section for option
 - Server reads `[mysqld]`, client `[mysql]`

Config Management Practices

- Keep Config Files in Sync on different servers
 - Out of Sync config files is frequent cause of mistakes and confusion
- Keep Record of Changes
 - Config files under version control is great

Why would set an option

- Sanity Check Options
 - Many do not impact Performance at all
- General Options to set for Hardware and Workload
 - Few of them
- Special Options
 - Defaults generally fine, unless your circumstances are very special

Do not let MySQL Swap

- Allocating too much memory and having MySQL swapping is a lot worse than not using all memory
- Monitor swapping (si/so from vmstat closely)
- Start with safe buffer values and increase them gradually if a lot of memory stays free

Automated Configuration Tuning

- Tools which claim to create best configuration by looking at status variables
 - Beware. Recommendations are often poor
- Advisory Tools
 - Tools which check your config file for typical mistakes and omissions
- Basic configuration creation tools
 - Do not claim to do magic but can get your started with better configuration than default

mysq tuner

----- General Statistics -----

[--] Skipped version check for MySQLTuner script
[OK] Currently running supported MySQL version 5.1.57-rel | 2.8-log
[OK] Operating on 64-bit architecture

----- Storage Engine Statistics -----

[--] Status: +Archive -BDB -Federated +InnoDB -ISAM -NDBCluster
[--] Data in MyISAM tables: 73G (Tables: 1282)
[--] Data in InnoDB tables: 1G (Tables: 338)
[--] Data in MEMORY tables: 0B (Tables: 2)
[!!] Total fragmented tables: 110

----- Security Recommendations -----

[!!] User '@' has no password set.

Mysq tuner (2)

----- Performance Metrics -----

- [--] Up for: 157d 10h 0m 23s (533M q [39.219 qps], 8M conn, TX: 1202B, RX: 146B)
- [--] Reads / Writes: 97% / 3%
- [--] Total buffers: 4.3G global + 2.7M per thread (200 max threads)
- [OK] Maximum possible memory usage: 4.8G (40% of installed RAM)
- [!!] Slow queries: 7% (41M/533M)
- [OK] Highest usage of available connections: 54% (109/200)
- [OK] Key buffer size / total MyISAM indexes: 4.0G/1.3G
- [OK] Key buffer hit rate: 100.0% (45B cached / 6M reads)
- [!!] Query cache is disabled
- [OK] Sorts requiring temporary tables: 0% (44K temp sorts / 60M sorts)
- [!!] Joins performed without indexes: 255685
- [!!] Temporary tables created on disk: 41% (25M on disk / 61M total)
- [OK] Thread cache hit rate: 91% (791K created / 8M connections)
- [!!] Table cache hit rate: 2% (1K open / 59K opened)
- [OK] Open file limit used: 32% (2K/8K)
- [OK] Table locks acquired immediately: 99% (436M immediate / 436M locks)
- [!!] InnoDB data size / buffer pool: 1.1G/256.0M
-

mysqltuner(3)

----- Recommendations -----

- General recommendations:
- Run OPTIMIZE TABLE to defragment tables for better performance
- Adjust your join queries to always utilize indexes
- When making adjustments, make tmp_table_size/max_heap_table_size equal
- Reduce your SELECT DISTINCT queries without LIMIT clauses
- Increase table_cache gradually to avoid file descriptor limits
- Variables to adjust:
- query_cache_size ($\geq 8\text{M}$)
- join_buffer_size ($> 128.0\text{K}$, or always use indexes with joins)
- tmp_table_size ($> 16\text{M}$)
- max_heap_table_size ($> 16\text{M}$)
- table_cache (> 4096)
- innodb_buffer_pool_size ($\geq 1\text{G}$)

pt-variable-advisor

- # WARN innodb_flush_log_at_trx_commit-1: InnoDB is not configured in strictly ACID mode.
-
- # NOTE innodb_max_dirty_pages_pct: The innodb_max_dirty_pages_pct is lower than the default.
-
- # NOTE log_warnings-2: Log_warnings must be set greater than 1 to log unusual events such as aborted connections.
-
- # NOTE max_connect_errors: max_connect_errors should probably be set as large as your platform allows.
-
- # WARN old_passwords: Old-style passwords are insecure.
-
- # WARN slave_net_timeout: This variable is set too high.
-
- # NOTE innodb_data_file_path: Auto-extending InnoDB files can consume a lot of disk space that is very difficult to reclaim later.
-
- # WARN myisam_recover_options: myisam_recover_options should be set to some value such as BACKUP,FORCE to ensure that table corruption is noticed.
-
- # WARN sync_binlog: Binary logging is enabled, but sync_binlog isn't configured so that every transaction is flushed to the binary log for durability.

tools.percona.com

The image shows a landing page for the Percona Configuration Wizard. At the top, the title "Configuration Wizard" is written in a white, italicized serif font on a dark grey background. To the right is the Percona logo, which consists of a stylized orange and yellow 'P' icon followed by the word "PERCONA" in a white, uppercase, sans-serif font. Below this header, the main heading "Optimize your MySQL Server" is displayed in a bold, orange, sans-serif font. Underneath, two lines of text in a grey, sans-serif font describe the tool's purpose: "Percona's experts have drawn on our experience to help you create a good starting configuration for a MySQL server." and "This tool will walk you through all of the steps necessary to create a ready to use MySQL configuration file in about 5 minutes." A large, orange, rounded rectangular button with the text "Generate A Configuration File Now" in white is centered below the text. At the bottom of the page, there is a dark grey footer. On the left side of the footer is the Percona logo. On the right side, there is a block of small, white, sans-serif text containing contact information and legal notices: "Call us: 1-888-316-9775 • Contact Us", "MySQL and InnoDB are trademarks of Oracle Corp.", "Proudly running Percona Server", "Copyright © 2006-2011 Percona Inc.", and "Copyright, Trademark, and Privacy Policy • Sitemap".

Configuration Wizard

PERCONA

Optimize your MySQL Server

Percona's experts have drawn on our experience to help you create a good starting configuration for a MySQL server.

This tool will walk you through all of the steps necessary to create a ready to use MySQL configuration file in about 5 minutes.

[Generate A Configuration File Now](#)

PERCONA

Call us: 1-888-316-9775 • Contact Us
MySQL and InnoDB are trademarks of Oracle Corp.
Proudly running Percona Server
Copyright © 2006-2011 Percona Inc.
Copyright, Trademark, and Privacy Policy • Sitemap

Tools.percona.com

> What type of storage do you use?

Hardware RAID



It is very important to configure MySQL correctly for your storage.

> How many CPUs does your system have?

Enter the total number of CPU cores in your server, including hyperthreading. For example, if you have two 4-core CPUs with hyperthreading, enter 16.

> How much memory does your server have?

GB

Enter the number of **gigabytes** of memory this server contains.

> What is your operating system?

Linux



Specify your operating system.

> How many tables will you have?

less than 100



Approximately how many tables will be in the server?

Lets look at the options now

- Different classes of options:
 - General Options
 - MyISAM
 - Innodb
 - Visibility and Logging

Getting Status Variables

- We refer to **SHOW GLOBAL STATUS** output in many descriptions
- Percona Toolkit too `pt-mext` is helpful
- **`pt-mext -r --mysqladmin ext -i100 -c4`**

- | | | | |
|-----------------------|---------------|---------|---------|
| Aborted_clients | 128 | 0 | 0 |
| Aborted_connects | 909 | 0 | 0 |
| Binlog_cache_disk_use | 3 | 0 | 0 |
| Binlog_cache_use | 262857 | 0 | 0 |
| Bytes_received | 146518902681 | 580976 | 459113 |
| Bytes_sent | 1202983049426 | 1417886 | 1018617 |

General Options

- **max_connections**
 - How many connections to allow ? Watch **max_used_connections** status value
- **thread_cache**
 - Cache to prevent excessive thread creation
 - 50-100 is good value. Watch **threads_created**
- **table_cache/table_open_cache**
 - Cache of opened table instances
 - Single table may have multiple entries
 - Watch **opened_tables** status value
 - Start with 4096
 - MySQL will only use as needed anyway.

General Options

- **open_files_limit**
 - MyISAM tables require up to 2 file handlers
 - Each connection is file handler too
 - Safe to set to 65535 in most systems
- **table_definition_cache**
 - Cache table definitions (CREATE TABLE)
 - Only one entry per table
 - Watch **Opened_table_definitions**
 - Set to cover all tables unless 50K+ tables

General Options

- **back_log**
 - Need adjustment if many connections/sec
 - 2048 is reasonable value
- **max_allowed_packet**
 - Limits maximum size of query
 - Limits internal string variable size
 - 16MB is a good value
- **max_connect_errors**
 - Prevent password brute force attack
 - Can cause “Host Blocked” error messages
 - Value around 1000000 is good

General Options

- **skip_name_resolve**
 - Avoid DNS lookup on connection. Faster and Safer
 - Do not use host names in **GRANTS**
- **old_passwords**
 - Should NOT be enabled. Will cause insecure password hash to be used.

General Options

- **log_bin**
 - Enable for replication and point in time recovery
 - Set to “mysql-bin” to avoid default naming
- **sync_binlog**
 - Make Binlog durable. Set to 1 if have RAID with BBU or Flash
 - Can be really performance killer with slow drives.
- **expire_log_days**
 - Purge old binary logs
 - 14 (2 weeks) is a good value with weekly backups.

General Options

- **tmp_table_size**
- **max_heap_table_size**
 - Typically set to same value (workload based)
 - **Created_tmp_disk_tables** status variable
 - Bevare BLOB/TEXT fields cause on disk table with any size.
- **query_cache_size**
 - Enable query cache only if it is tested to provide significant gains
 - Often causes stalls and contention
 - Do not set over 512MB

General Options

- **sort_buffer_size**
 - In memory buffer used for sorting
 - Watch sort_merge_passes
 - Consider setting for session for large queries
 - Values up to 1MB are good default
 - Large values hurt performance of small queries
- **join_buffer_size**
 - Helps performance of Joins with no indexes
 - Better get rid of such Joins !
 - 8MB can be reasonable value
- **default_storage_engine**
 - Use this engine for tables if not specified

General Options

- **read_rnd_buffer_size**
 - Buffer for reading rows in sorted order
 - Specifies Maximum Value
 - Values around 16MB often make sense
 - Do not mix with **read_buffer_size**
- **Tmpdir**
 - Specify location of temporary directory
 - Tmpfs often good choice unless very large temporary space is needed.

MyISAM options

- **key_buffer_size**
 - Cache MyISAM Indexes.
 - Does Not cache data.
 - Up to 30% of memory if using MyISAM only
- **myisam_recover**
 - Automatically repair corrupted MyISAM tables after crash. **BACKUP,FORCE** is a good value.
- **myisam_sort_buffer_size**
 - Buffer used for building MyISAM indexes by Sort. 8MB-256MB are good values.

MyISAM Options

- **low_priority_updates**
 - Allow higher concurrency for SELECTs
 - May starve update queries
- **bulk_insert_buffer_size**
 - Buffer to optimize Bulk Inserts
 - Values of $\frac{1}{4}$ of **key_buffer_size** make sense
 - Note it is per connection value
-

InnoDB – Memory Settings

- **innodb_buffer_pool_size**
 - The most important setting. Often 80%+ of memory is allocated here.
- **innodb_buffer_pool_instances**
 - Reduce contention. Set to 4+ in MySQL 5.5+
- **innodb_log_buffer_size**
 - Buffer for log files. Good Values 4MB-128MB
 - Not only reduce writes but help contention
- **innodb_ibuf_max_size**
 - Control size of Insert buffer. Default is 1/2 of Buffer pool. Smaller values are good for SSD

InnoDB IO Options

- **innodb_flush_log_at_trx_commit**
 - Control Durability
 - 1=flush and sync; 2=flush; 0=neither
- **innodb_flush_method**
 - Controls how InnoDB Performs IO
 - **O_DIRECT** good value for most servers
- **innodb_auto_lru_dump**
 - Percona Server Feature to warmup quickly
 - 300 (seconds) is a good value
- **innodb_io_capacity**
 - Controls InnoDB Assumption about Disk Performance. Increase for faster drives.

InnoDB IO Options

- **innodb_read_io_threads**
- **innodb_write_io_threads**
 - Control number of threads doing reads and writes
 - MySQL 5.5 has async IO so very high values might not be needed
 - 4 is good default. Higher for large IO systems.
- **innodb_flush_neighbor_pages**
 - Percona Server feature to control how flushing works
 - Disable (set to 0) for SSD

Other InnoDB Options

- **innodb_log_file_size**
 - Size of redo log file. Larger logs better performance but longer recovery.
- **innodb_log_files_in_group**
 - Leave at 2 which is default.
- **innodb_file_per_table**
 - Store each InnoDB table in separate file. Usually Good choice
- **innodb=force**
 - Enable so MySQL does not start if InnoDB could not initialize. Otherwise it might start but error on access to all InnoDB tables.

Other InnoDB Options

- `innodb_data_file_path`
 - Settings for InnoDB System Tablespace
 - Use one file. Limit growth as you can't shrink it
 - **`ibdata1:10M:autoextend:max:10G`**
- `innodb_lock_wait_timeout`
 - How long to wait for row level locks before bailing out ?
- **`innodb_old_blocks_time`**
 - Helps to make buffer pool scan resistant
 - Values around 1000 make sense

Other Innodb Options

- **innodb_file_format**
 - Which file format Innodb will use
 - “Antelope” is default legacy format
 - “Barracuda” allows to use new features like compression
- **innodb_stats_on_metadata**
 - Update statistics on meta data access
 - Such as Information_schema queries
 - Typically best disabled for more workloads
 - Set to 0
 - Innodb will still refresh stats when table changes significantly

Visibility Options

- **performance_schema**
 - Enable Performance Schema in MySQL 5.5+
 - Watch potential overhead.
- **log_slow_queries**
 - Enable Slow Query Log. Old but very helpful.
- **long_query_time**
 - Especially with long_query_time set to 0 periodically to get sample of the load
- **log_slow_verbosity=full**
 - Get a lot more data about queries in Percona Server

Visibility Options

- **low_warnings=2**
 - Get warnings about disconnects and other minor issues in error log.
 - More information but it can get spammy
- **userstat_running=1**
 - Get advanced Table and Index usage statistics in Percona Server and MariaDB

Summary

- Many Options to chose from !
- And these are selected “few”
- Close to 400 variables available In latest versions
- Remember in most cases you do not need to tune more than a few
- Consider starting with config file generated by <http://tools.percona.com>
 - At least it will show you which options to pay attention to first.

Main Body Slides

- Use this layout for the main body of your presentation
- Keep the following slides at the end of your presentation:
 - Percona Live DC Sponsors
 - Annual MySQL Conference & Expo
 - Percona Training (2 slides)
 - Your Contact Information
 - Percona Live Closing Slide with no text inserted for Q&A period

Percona Live DC Sponsors

Media Sponsor



Friends of Percona Sponsor



MySQL Conference & Expo 2012

Presented by Percona Live

The Hyatt Regency Santa Clara & Santa Clara Convention Center

April 10th-12th, 2012

Tutorials & Initial Breakout Sessions Announced

<http://www.percona.com/about-us/pressreleases/percona-live-mysql-conference-and-expo-heads-to-santa-clara-california-april-10-12-2012/>

Featured Speakers

Mark Callaghan (Facebook), Jeremy Zawodny (Craigslist), Marten Mickos (Eucalyptus Systems)

Sarah Novotny (Blue Gecko), Peter Zaitsev (Percona), Baron Schwartz (Percona)

Learn More at www.percona.com/live/mysql-conference-2012/

Want More MySQL Training?

Percona Training in Washington DC Next Week

January 16th-19th, 2012

MySQL Workshops

MySQL Developers Training - Monday

MySQL DBA Training - Tuesday

MySQL InnoDB / XtraDB - Wednesday

MySQL Operations – Thursday

Use Discount code DCPL30 to save 30%

Visit <http://bit.ly/dc-training>

Upcoming Percona MySQL Training

Washington, DC – January 16, 2012

Vancouver, Canada - February 6, 2012

Frankfurt, Germany - February 13, 2012

Irvine, CA – February 14, 2012

Denver, CO - February 20, 2012

San Francisco, CA - March 12, 2012

Austin, TX - March 19, 2012

Visit <http://percona.com/training>



Peter Zaitsev
pz@percona.com

We're Hiring!
www.percona.com/about-us/careers/



PERCONA
LIVE

www.percona.com/live