



FUSION-io
POWERING INNOVATION

Tuning For Speed: Percona Server and Fusion-io

Torben Mathiasen – Percona Live 2011 London
tmathiasen@fusionio.com



- XtraDB performance tuning for Fusion-io
- Sharding MySQL instances locally
- Fusion-io Atomic write feature for InnoDB
- ioDrive2/VSL 3 and MySQL expectations

Basic Tuning



- I/O Schedulers
 - Default with Fusion-io is NOOP
 - Merges requests but does not optimize for rotational devices
 - For MySQL, submitting requests directly to the device have shown performance improvements. `use_workqueue=0`
- File systems
 - EXT4, trim/discard
 - XFS, online discard with latest kernels
 - Write barriers
 - No cache on ioMemory modules. Acknowledged writes are guaranteed to be persistent. Even during power failure, crashes.
- Outstanding I/O
 - Default is 128 reads and 128 writes per queue. Batching can increase this further. Can make a difference with benchmarking. No clear advantage for MySQL
- Distribute Interrupts
 - Distribute interrupts among multiple cores for multi card setups to avoid soft lockups -> `irqbalance`

- How to test? Which workloads?
 - Settle on a few, concentrate on those and then verify in production. Production data is great, but may not be available
 - We have been using Percona tpcc-mysql and tpce-mysql. Good workloads, but may not match yours
- Direct I/O vs Buffered
 - Use direct-I/O for data. Logs are usually buffered
 - Buffered I/O introduces an extra data copy. Memory for page cache better spent in buffer pool. Less complex write path
 - When does buffered I/O makes sense?
- Block sizes
 - Linux MD on RHEL6 seems to favor 4K sectors and blocks
 - Marginal better efficiency of the Virtual Storage Layer with 4K sectors
 - For direct-io, Linux requires all I/O to be hardware sector aligned

MySQL Tuning Cont.




- Check pointing -> heavy writes
 - Adaptive, push I/O constantly.
InnoDB_adaptive_checkpoint=keep_average, keep short loop cycle
 - Buffer Pool vs Dirty pages
 - Large buffer pool can mean a lot of dirty pages. A LOT!
- Mount points
 - Sequential vs Random I/O
 - Spindles are ok at sequential platter access. Flash is better
 - A 500GB database is a big database. But a 640GB io-duo can fit it all
 - If possible, put everything on flash. If needed, put logs on hard drives
 - Spindle hosted database logs
 - Make sure that the spindle does not receive other I/O. Multiple database logs may be sequential individually, but still cause the heads to seek

What simple optimization can do



Percona 5.1.53
TPC-C 1000W
75GB Buffer Pool






- Configuration Parameters
 - `innodb_thread_concurrency=0` (limit if CPU bound)
 - `innodb_read_ahead=0`
 - `innodb_read_io_threads=8` (16 for writes)
 - `innodb_adaptive_checkpoint=keep_average`
 - `innodb_flush_method=O_DIRECT`
 - `innodb_io_capacity=10000`
 - `Innodb_flush_neighbor_pages=0`



- Why is the double write buffer needed?
- Introducing the Fusion-io Atomic Write feature
 - Moves atomicity into the storage device
 - Multiple page writes will either occur in its entirety or not all
 - Less writes, less complexity, better scalability
 - Improves performance considerably compared to using the double write buffer

Atomic Write Performance



MySQL Multi-instance




- Improving performance with local shards
 - Split a 200GB DB/64GB Buffer pool setup into 4 instances
 - Get 2.4x the performance on the same system
- Multiple independent MySQL instances can better utilize the fast storage device
- Less software locking, better CPU utilization
- Gets more important as core count increases

Multi-instance - TPC-C



FUSION-IO



Testing by Percona with Fusion-io:

<http://www.mysqlperformanceblog.com/2011/10/07/multiple-mysql-instances-on-fusion-io-iodrives/>

The ioDrive2 and MySQL




- Virtual Storage Layer 3 improvements
 - Adaptive Flashback
 - Low queue depth performance improvements
 - Synchronous I/O enhancements
 - Better performance on large boxes
 - Improved I/O submission
- Performance consistency
- Low-queue depth performance that matters
- 16K synchronous read/write performance improvements for MySQL




ioDrive2 and MySQL cont.



**16k synchronous write
Sysbench - 16 threads**




**16k synchronous writes
Sysbench - 4 threads**





FUSION-io
POWERING INNOVATION



Questions? - Thank You!

Torben Mathiasen – Percona Live 2011 London
tmathiasen@fusionio.com